

INTEGRAL COLOUR

Tech Data Sheet

Product Description

INTEGRAL COLOURS are pure synthetic iron oxide pigments that contain no fillers, adulterants or admixtures that will affect the characteristics or performance of the concrete mix design.

Directions

1) Mix Design

- Integral Colours are quality controlled and consistent. Several factors can affect the final appearance of concrete. Follow all directions carefully to ensure consistent batches.
- Concrete should be poured at no more than a 4" slump. Adding water to loads will result in faded colour. Do not use calcium chloride. If an accelerator is required, use a non chloride additive. Recommended air entrainment for regions subject to freeze/thaw cycles is 5-8%.

2) Finishing

- Do not add water to concrete load as setting in place. Begin finishing after bleed water has evaporated. Finishing techniques should be consistent. Do not add water as a finishing aid. Any washed tools should be dried before applied to concrete surface.

3) Curing

- Curing using burlap, plastic, etc. will cause discolouration.


Warranty/Disclaimer

Because the conditions of use and application of our products are beyond control, Stoney Creek Ready Mix makes no warranty of fitness or merchantability for any particular purpose and expressly disclaims liability for incidental or consequential damages whether based on negligence or warranty. Buyer's sole remedy shall be the refund of Colour purchase price from point of purchase.

Colour selections are approximate as closely as possible appearance of Colour when used on horizontal troweled and/or imprinted concrete. Variations can be expected due to job conditions, cement finishing techniques, use of sealers and slight raw material Colour drifts. Due to the natural source materials in cement and handcrafted nature of imprinted concrete, variations are acceptable and desirable.

COLOURS FOR CONCRETE

Loadings in four-color groupings are represented as follows:



| | | | | | | | |
|---------------|-------------------|----------------|------------------|----------------|---------------|-----------------|---------------|
| 115 Limestone | 115 Shell | 238 Thyme | 238 Doeskin | 242 Sandstone | 242 Sahara | 750 Desert Tan | 750 Salmon |
| 115 Yellow | 115 Safety Yellow | 238 Buttercup | 238 Marigold | 242 Sandalwood | 242 Nutmeg | 750 Prairie Tan | 750 Peach |
| 288 Rosemary | 288 Ginger | 306 Canvas | 306 Toffee | 338 Earthen | 338 Rawhide | 755 Trail | 755 Driftwood |
| 288 Bamboo | 288 Straw | 306 Burlap | 306 Cinnamon | 338 Buckskin | 338 Leather | 755 Spice | 755 Apricot |
| 385 Taupe | 385 Lava | 413 Colony | 413 Clay | 417 Rose | 417 Brick Red | 775 Sand | 775 Cedar |
| 385 Buffalo | 385 Bark | 413 Fox Red | 413 Terra Cotta | 417 Paver Red | 417 Apple Red | 775 Camel | 775 Sedona |
| 467 Ash | 467 Oyster | 489 Dusty Rose | 489 Light Plum | 492 Mauve | 492 Merlot | 920 Slate | 920 Smoke |
| 467 Orchid | 467 Rustique | 489 Redwood | 489 Dark Redwood | 492 Lilac | 492 Garnet | 920 Charcoal | 920 Onyx |